

Rbit™ **series**

**The New Standard for
Top Hammer Drilling
from Robit**



Robit
FURTHER. FASTER.



Rbit™ Series – The New Standard for High Quality Top Hammer Drilling from Robit

Copyright © 2020, Robit Plc.

All rights reserved. No part of this catalogue may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the publisher.

Trademarks

Rbit is a trademark of Robit Plc

Publisher

Robit Plc

www.robitgroup.com

Printed: November 2020

Robit reserves all rights to any changes in the products and the specifications without prior notice.

CONTENTS



NEW ROBIT SUPERIOR RBIT™ BUTTON BIT SERIES	4
ROBIT® RBIT™ MANUFACTURING	6
ROBIT® RBIT™ SERIES – MAIN UPDATES	7
ROBIT® RBIT™ AR APPLICATION	8
ROBIT® RBIT™ CODES	10
ROBIT® RBIT™ MODELS	12
R32 THREAD RBITS	14
C38 THREAD RBITS	15
C45 THREAD RBITS	17
C51 THREAD RBITS	20
RG51 THREAD RBITS	23
RG60 THREAD RBITS	24
CT68 THREAD RBITS	26

“Rbit™ Series – The New Standard for High Quality Top Hammer Drilling from Robit.”


New Robit Superior Rbit™ Button Bit Series – Functional Design for Professionals

Our customers already know the great quality of our Top Hammer Button Bits. However, we took up the challenge of making our bits even better. All our button bits have been manufactured with recyclable 100% Green Steel. Consistent top quality is guaranteed by fully automated production lines. Rbit™ are finalized with eco-friendly water-based paint. As a result, we have created the Rbit™.

With the Rbit™, our commitment is to help our customers to reduce the total drilling costs by **achieving faster rate of penetration and the lowest cost-per-meter**. The Rbit™ features:

- An optimized button layout configuration of the Flat Face, to ensure **maximized rock contact and energy transmission**.
- A new transition face was developed in both Flat Face and Drop Center to **improve the transfer of percussion energy into the rock**.
- Enhanced flushing design, now available in our Flat Face and Drop Center models, delivering even **faster rate of penetration**.
- Redesigned wider retrac grooves, that allow more space delivering a **better flow for the cuttings**.
- **Heavy Duty models** are now **available** in both Flat Face and Drop Center.

All of our new high quality Rbit™ drill bits, have been designed with state of the art Computer Fluid Dynamics (CFD) simulation. Moreover, field tests globally have demonstrated clear evidence of a superior drilling performance which our technical simulation had already guaranteed (refer chart on the right). Our partner drillers were happy with the excellent performance and noted better flushing and longer grinding intervals with the new Rbit™ drill bits. Robit products are developed in the challenging rock conditions of Scandinavia and have a proven record globally. With Robit's new Rbit™, we have found yet another way to deliver excellence to our customers worldwide.



*Summarizing all the essential drilling features, we are going deeper with more speed and force, driving the development of the drilling consumables industry. As an established global company, we continuously need to reinvent ourselves. Across the globe, our cases are more versatile, our knowledge base wider, our questions and tools for finding answers smarter. We fight hard every day to be the strongest and smartest when it comes to the space between drill and rock so that we deliver only the best to our valued customers. That is the true spirit of **Robit® Rbit™**.*



Green Steel

All of the Robit Rbit™ button bits are manufactured of new 100 % recyclable steel.



1

Automated Production Lines

Fully automated production lines with the latest technology guarantee consistent top quality.



2

Quality Inspection

Each Rbit™ button bit will be inspected during the manufacturing process.



3

4



Buttoning

Robit buttoning cells are the latest state-of-the-art robotized units – optimized insertion secured.

5



Automated Painting Line


Robit Rbit™ button bits are painted with eco-friendly water-based paint.

6



Scheduled Delivery

All of the Robit products will be delivered for the customers precisely.



New transition face ensuring better energy transfer

- Transition face with rounded edges enables better flushing design and optimized button layout ⇒ New functionality of the bit



Optimized button layout maximizing rock contact

- Smart button configuration ⇒ Optimized rock breaking dynamics





Wider flushing grooves allowing better flow of cuttings

- Improved flushing ⇒ Maximized flushing efficiency



ROBIT® RBIT™ AUGMENTED REALITY “AR” APPLICATION

Robit



Robit® Rbit™ AR Application


Please download Robit® Rbit™ AR Application for your smartphone to present new series for your customer. You can demonstrate new features without carrying bits in your pockets. Applications will be found with “Robit Rbit” title:



iOS



Android





All of the Robit button bits are manufactured of new 100 % recyclable steel. In the environment-friendly steel production process, the CO₂ emissions have been reduced by 80 % and 95 % of the waste is recycled including the process smoke which is filtered. The new steel grade gives even more uniform properties and improved fatigue strength which is crucial in rock drilling process.

- Specially designed for Robit
- Better fatigue resistance
- 100 % recyclable
- 80 % less CO² emissions
- Process smoke filtrated and recycled
- 95 % of waste recycled



TH RBIT	38C	076FF	R HD Ball
			Body type = R (Retrac) Version = HD (Heavy Duty) Button type = Ballistic
			Bit diameter = 76 mm (3") Face type = FF (Flat Face) DC (Drop Center)
			Thread size = 38 mm (1½") Thread type = C (T, FI, etc.)
Series code			= TH (Top Hammer) RBIT

All the products are available with ballistic or SuperDome buttons.




Standard body

Retrac body



Advanced face types

- FF =** Flat Face for medium and hard rock conditions
- FF HD =** Flat Face Heavy Duty model for more abrasive conditions
- DC =** Drop Center model for straighter holes with maximum flushing properties. (For soft and medium hard rock for speed drilling)
- DC HD =** Drop Center Heavy Duty model for more abrasive conditions





Revolutionary transition face

Transition face with rounded edges enables optimized button layout and new functional features to the bit.



Rbit™ series specifications

Computational Fluid Dynamics (CFD) simulation images show the efficient flushing properties of new Rbit™ series.



ROBIT® RBIT™ SERVICE

Robit





Flat Face for medium and hard rock conditions

FF, FFR



Flat Face Heavy Duty model for more abrasive conditions

FF HD, FFR HD



Drop Center model for straighter holes with maximum flushing properties. (For soft and medium hard rock)

DC, DCR



Drop Center Heavy Duty model for more abrasive conditions

DC HD, DCR HD

“Robit offers the best customer experience.”



R32
1 1/4" thread

Rbit™ **CONSISTENT HIGH QUALITY**

Robit

R32 (1 1/4") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight	Pcs/box
														
									[No.]	[mm]	[No.]	[mm]		
	[mm]	[in]												
TH RBIT 32R064FF	64	2½"		35°	4	x 9	8	x 10	3	-	04-132-064-2037	04-132-064-2038	1.5	5
TH RBIT 32R064FF HD	64	2½"		35°	4	x 10	8	x 11	3	-	2001452	2001453	1.5	5
TH RBIT 32R064FFR	64	2½"		35°	4	x 9	8	x 10	3	-	04-132-064-0385	04-132-064-0387	2.0	5
TH RBIT 32R064FFR HD	64	2½"		35°	4	x 10	8	x 11	3	-	2001457	2001458	2.0	5
TH RBIT 32R064DC	64	2½"		35°	5	x 9	8	x 9	5	-	2001556	2001557	1.5	5
TH RBIT 32R064DC HD	64	2½"		35°	5	x 9	8	x 10	5	-	2001186	2001187	1.5	5
TH RBIT 32R064DCR	64	2½"		35°	5	x 9	8	x 9	5	-	2001561	2001562	2.0	5
TH RBIT 32R064DCR HD	64	2½"		35°	5	x 9	8	x 10	5	-	2000685	2000686	2.0	5



TH RBIT 32R064FF
TH RBIT 32R064FF HD



TH RBIT 32R064FFR
TH RBIT 32R064FFR HD



TH RBIT 32R064DC
TH RBIT 32R064DC HD



TH RBIT 32R064DCR
TH RBIT 32R064DCR HD

C38 (1 ½") . threads

Product name	Diameter		Body	Gauge	Buttons		Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.] [mm]	 [No.] [mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 38C064FF	64	2½"		35°	4 x 9	8 x 10	3	-	01-238-064-2244	01-238-064-2245	1.7	5
TH RBIT 38C064FF HD	64	2½"		35°	4 x 10	8 x 11	3	-	01-238-064-2140	01-238-064-2141	1.7	5
TH RBIT 38C064FFR	64	2½"		35°	4 x 9	8 x 10	3	-	01-238-064-1034	01-238-064-1038	1.9	5
TH RBIT 38C064FFR HD	64	2½"		35°	4 x 10	8 x 11	3	-	01-238-064-2271	01-238-064-2272	1.9	5
TH RBIT 38C064DC	64	2½"		35°	5 x 9	8 x 9	5	-	2001566	2001567	1.6	5
TH RBIT 38C064DC HD	64	2½"		35°	5 x 9	8 x 10	5	-	2000452	2000453	1.6	5
TH RBIT 38C064DCR	64	2½"		35°	5 x 9	8 x 9	5	-	2001571	2001572	1.9	5
TH RBIT 38C064DCR HD	64	2½"		35°	5 x 9	8 x 10	5	-	01-238-064-0864	01-238-064-0865	1.9	5
TH RBIT 38C070FF	70	2¾"		35°	4 x 10	9 x 10	4	-	2001662	2001663	2.0	4
TH RBIT 38C070FF HD	70	2¾"		35°	4 x 10	9 x 11	4	-	01-238-070-3514	01-238-070-3515	2.0	4
TH RBIT 38C070FFR	70	2¾"		35°	4 x 10	9 x 10	4	-	2001667	2001668	2.9	4
TH RBIT 38C070FFR HD	70	2¾"		35°	4 x 10	9 x 11	4	-	01-238-070-2940	01-238-070-2941	2.9	4



TH RBIT 38C064FF
TH RBIT 38C064FF HD



TH RBIT 38C064FFR
TH RBIT 38C064FFR HD



TH RBIT 38C064DC
TH RBIT 38C064DC HD



TH RBIT 38C064DCR
TH RBIT 38C064DCR HD



TH RBIT 38C070FF
TH RBIT 38C070FF HD



TH RBIT 38C070FFR
TH RBIT 38C070FFR HD

C38
1 1/2" thread

Rbit™ CONSISTENT HIGH QUALITY

Robit

C38 (1 1/2") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.]	[mm]	 [No.]	[mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 38C070DC	70	2 3/4"		35°	5 x 10	8 x 10	5	-	5	-	2000687	2000688	1.9	4
TH RBIT 38C070DC HD	70	2 3/4"		35°	5 x 10	8 x 11	5	-	5	-	2001714	2001715	1.9	4
TH RBIT 38C070DCR	70	2 3/4"		35°	5 x 10	8 x 10	5	-	5	-	2000689	2000690	2.7	4
TH RBIT 38C070DCR HD	70	2 3/4"		35°	5 x 10	8 x 11	5	-	5	-	2001719	2001720	2.7	4
TH RBIT 38C076FF	76	3"		35°	5 x 10	9 x 10	4	-	4	-	01-238-076-2048	01-238-076-2049	2.3	4
TH RBIT 38C076FF HD	76	3"		35°	5 x 10	9 x 11	4	-	4	-	01-238-076-1077	01-238-076-1080	2.3	4
TH RBIT 38C076FFR	76	3"		35°	5 x 10	9 x 10	4	-	4	-	01-238-076-2157	01-238-076-2158	3.3	4
TH RBIT 38C076FFR HD	76	3"		35°	5 x 10	9 x 11	4	-	4	-	01-238-076-2163	01-238-076-2164	3.3	4
TH RBIT 38C076DC	76	3"		35°	5 x 11	8 x 11	5	-	5	-	2000449	2000450	2.4	4
TH RBIT 38C076DC HD	76	3"		35°	5 x 11	8 x 12	5	-	5	-	2001578	2001579	2.4	4
TH RBIT 38C076DCR	76	3"		35°	5 x 11	8 x 11	5	-	5	-	2000446	2000447	3.2	4
TH RBIT 38C076DCR HD	76	3"		35°	5 x 11	8 x 12	5	-	5	-	2001583	2001584	3.2	4



TH RBIT 38C070DC
TH RBIT 38C070DC HD
TH RBIT 38C076DC
TH RBIT 38C076DC HD



TH RBIT 38C070DCR
TH RBIT 38C070DCR HD
TH RBIT 38C076DCR
TH RBIT 38C076DCR HD



TH RBIT 38C076FF
TH RBIT 38C076FF HD



TH RBIT 38C076FFR
TH RBIT 38C076FFR HD

C45 (1 3/4") . threads

Product name	Diameter		Body	Gauge	Buttons		Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.] [mm]	 [No.] [mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 45C070FF	70	2 3/4"		35°	4 x 10	9 x 10	4	-	01-245-070-6127	01-245-070-6128	2.5	4
TH RBIT 45C070FF HD	70	2 3/4"		35°	4 x 10	9 x 11	4	-	01-245-070-3998	01-245-070-3999	2.5	4
TH RBIT 45C070FFR	70	2 3/4"		35°	4 x 10	9 x 10	4	-	01-245-070-6496	01-245-070-6497	2.9	4
TH RBIT 45C070FFR HD	70	2 3/4"		35°	4 x 10	9 x 11	4	-	01-245-070-6819	01-245-070-6820	2.9	4
TH RBIT 45C070DC	70	2 3/4"		35°	5 x 10	8 x 10	5	-	2000985	2000986	2.2	4
TH RBIT 45C070DC HD	70	2 3/4"		35°	5 x 10	8 x 11	5	-	2001724	2001725	2.2	4
TH RBIT 45C070DCR	70	2 3/4"		35°	5 x 10	8 x 10	5	-	2000695	2000696	2.5	4
TH RBIT 45C070DCR HD	70	2 3/4"		35°	5 x 10	8 x 11	5	-	2001729	2001730	2.5	4
TH RBIT 45C076FF	76	3"		35°	5 x 10	9 x 10	4	-	01-245-076-2350	01-245-076-2351	2.7	4
TH RBIT 45C076FF HD	76	3"		35°	5 x 10	9 x 11	4	-	01-245-076-2081	01-245-076-2082	2.7	4
TH RBIT 45C076FFR	76	3"		35°	5 x 10	9 x 10	4	-	01-245-076-2168	01-245-076-2169	2.9	4
TH RBIT 45C076FFR HD	76	3"		35°	5 x 10	9 x 11	4	-	01-245-076-2283	01-245-076-2284	2.9	4



TH RBIT 45C070FF
TH RBIT 45C070FF HD



TH RBIT 45C070FFR
TH RBIT 45C070FFR HD



TH RBIT 45C070DC
TH RBIT 45C070DC HD



TH RBIT 45C070DCR
TH RBIT 45C070DCR HD



TH RBIT 45C076FF
TH RBIT 45C076FF HD



TH RBIT 45C076FFR
TH RBIT 45C076FFR HD

C45
1 3/4" thread

Rbit™ **CONSISTENT HIGH QUALITY**

Robit

C45 (1 3/4") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight	Pcs/box
														
									[No.]	[mm]	[No.]	[mm]		
	[mm]	[in]		°	[No.]	[mm]	[No.]	[mm]	[No.]	[No.]				
TH RBIT 45C076DC	76	3"		35°	5 x 11	8 x 11	5	-	2000443	2000444	2.7	4		
TH RBIT 45C076DC HD	76	3"		35°	5 x 11	8 x 12	5	-	2001588	2001589	2.7	4		
TH RBIT 45C076DCR	76	3"		35°	5 x 11	8 x 11	5	-	01-245-076-0398	01-245-076-0866	2.9	4		
TH RBIT 45C076DCR HD	76	3"		35°	5 x 11	8 x 12	5	-	01-245-076-0889	01-245-076-0890	2.9	4		
TH RBIT 45C083FF	83	3 ¼"		35°	6 x 11	9 x 12	4	-	2001682	2001683	2.9	4		
TH RBIT 45C083FF HD	83	3 ¼"		35°	6 x 11	9 x 13	4	-	2001684	2001685	2.9	4		
TH RBIT 45C083FFR	83	3 ¼"		35°	6 x 11	9 x 12	4	-	2001687	2001688	3.8	4		
TH RBIT 45C083FFR HD	83	3 ¼"		35°	6 x 11	9 x 13	4	-	2001689	2001690	3.8	4		
TH RBIT 45C083DC	83	3 ¼"		35°	5 x 12	8 x 12	5	-	2001732	2001733	2.9	4		
TH RBIT 45C083DC HD	83	3 ¼"		35°	5 x 12	8 x 13	5	-	2001734	2001735	2.9	4		
TH RBIT 45C083DCR	83	3 ¼"		35°	5 x 12	8 x 12	5	-	2000470	2000471	3.8	4		
TH RBIT 45C083DCR HD	83	3 ¼"		35°	5 x 12	8 x 13	5	-	2001739	2001740	3.8	4		



TH RBIT 45C076DC
TH RBIT 45C076DC HD
TH RBIT 45C083DC
TH RBIT 45C083DC HD



TH RBIT 45C076DCR
TH RBIT 45C076DCR HD
TH RBIT 45C083DCR
TH RBIT 45C083DCR HD



TH RBIT 45C083FF
TH RBIT 45C083FF HD



TH RBIT 45C083FFR
TH RBIT 45C083FFR HD

C45 (1 3/4") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.]	 [mm]	 [No.]	 [mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 45C089DC	89	3 1/2"		35°	5 x 12	8 x 12	5	-			2000363	2000364	3.4	2
TH RBIT 45C089DC HD	89	3 1/2"		35°	5 x 12	8 x 13	5	-			2001598	2001599	3.4	2
TH RBIT 45C089DCR	89	3 1/2"		35°	5 x 12	8 x 12	5	-			2000113	2000114	4.7	2
TH RBIT 45C089DCR HD	89	3 1/2"		35°	5 x 12	8 x 13	5	-			2001603	2001604	4.7	2
TH RBIT 45C089FF	89	3 1/2"		35°	6 x 11	9 x 12	4	-			01-245-089-1169	01-245-089-1172	3.4	2
TH RBIT 45C089FF HD	89	3 1/2"		35°	6 x 12	9 x 13	4	-			01-245-089-1182	01-245-089-1184	3.4	2
TH RBIT 45C089FFR	89	3 1/2"		35°	6 x 11	9 x 12	4	-			01-245-089-1176	01-245-089-1180	4.7	2
TH RBIT 45C089FFR HD	89	3 1/2"		35°	6 x 12	9 x 13	4	-			01-245-089-1186	01-245-089-1188	4.7	2



TH RBIT 45C089DC
TH RBIT 45C089DC HD



TH RBIT 45C089DCR
TH RBIT 45C089DCR HD



TH RBIT 45C089FF
TH RBIT 45C089FF HD



TH RBIT 45C089FFR
TH RBIT 45C089FFR HD

C51
2" thread

Rbit™ CONSISTENT HIGH QUALITY

Robit

C51 (2") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight	Pcs/box
														
TH RBIT 51C083FF	83	3 ¼"		35°	6 x 11	9 x 12	4	-	01-251-083-2392	01-251-083-2393	3.6	4		
TH RBIT 51C083FF HD	83	3 ¼"		35°	6 x 11	9 x 13	4	-	2001694	2001695	3.6	4		
TH RBIT 51C083FFR	83	3 ¼"		35°	6 x 11	9 x 12	4	-	01-251-083-3115	01-251-083-3116	3.4	4		
TH RBIT 51C083FFR HD	83	3 ¼"		35°	6 x 11	9 x 13	4	-	2001699	2001700	3.4	4		
TH RBIT 51C083DC	83	3 ¼"		35°	5 x 12	8 x 12	5	-	2001742	2001743	3.6	4		
TH RBIT 51C083DC HD	83	3 ¼"		35°	5 x 12	8 x 13	5	-	2001744	2001745	3.6	4		
TH RBIT 51C083DCR	83	3 ¼"		35°	5 x 12	8 x 12	5	-	2000158	2000159	3.4	4		
TH RBIT 51C083DCR HD	83	3 ¼"		35°	5 x 12	8 x 13	5	-	2001749	2001750	3.4	4		
TH RBIT 51C089FF	89	3 ½"		35°	6 x 11	9 x 12	4	-	01-251-089-2104	01-251-089-2105	3.8	2		
TH RBIT 51C089FF HD	89	3 ½"		35°	6 x 12	9 x 13	4	-	01-251-089-1247	01-251-089-1249	3.8	2		
TH RBIT 51C089FFR	89	3 ½"		35°	6 x 11	9 x 12	4	-	01-251-089-1240	01-251-089-1243	4.3	2		
TH RBIT 51C089FFR HD	89	3 ½"		35°	6 x 12	9 x 13	4	-	01-251-089-1251	01-251-089-1253	4.3	2		



TH RBIT 51C083FF
TH RBIT 51C083FF HD
TH RBIT 51C089FF
TH RBIT 51C089FF HD



TH RBIT 51C083FFR
TH RBIT 51C083FFR HD
TH RBIT 51C089FFR
TH RBIT 51C089FFR HD



TH RBIT 51C083DC
TH RBIT 51C083DC HD



TH RBIT 51C083DCR
TH RBIT 51C083DCR HD

C51 (2") . threads

Product name	Diameter		Body	Gauge	Buttons		Flushing		Product number (use in order)		Weight	Pcs/box
	[mm]	[in]			 [No.] [mm]	 [No.] [mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 51C089DC	89	3½"		35°	5 x 12	8 x 12	5	-	2000037	2000038	3.7	2
TH RBIT 51C089DC HD	89	3½"		35°	5 x 12	8 x 13	5	-	2001608	2001609	3.7	2
TH RBIT 51C089DCR	89	3½"		35°	5 x 12	8 x 12	5	-	01-251-089-0877	01-251-089-0878	4.3	2
TH RBIT 51C089DCR HD	89	3½"		35°	5 x 12	8 x 13	5	-	2000166	2000167	4.3	2
TH RBIT 51C102FF	102	4		35°	6 x 13	9 x 13	4	-	01-251-102-2063	01-251-102-2064	4.6	2
TH RBIT 51C102FF HD	102	4		35°	6 x 14	9 x 14	4	-	01-251-102-2126	01-251-102-2127	4.7	2
TH RBIT 51C102FFR	102	4		35°	6 x 13	9 x 13	4	-	01-251-102-2559	01-251-102-2732	6.2	2
TH RBIT 51C102FFR HD	102	4		35°	6 x 14	9 x 14	4	-	01-251-102-2118	01-251-102-2119	6.3	2
TH RBIT 51C102DC	102	4		35°	5 x 13	8 x 13	5	-	2001616	2001617	4.5	2
TH RBIT 51C102DC HD	102	4		35°	5 x 14	8 x 14	5	-	01-251-102-0868	01-251-102-0869	4.6	2
TH RBIT 51C102DCR	102	4		35°	5 x 13	8 x 13	5	-	2001621	2001622	6.2	2
TH RBIT 51C102DCR HD	102	4		35°	5 x 14	8 x 14	5	-	2000103	2000104	6.3	2



TH RBIT 51C089DC
TH RBIT 51C089DC HD
TH RBIT 51C102DC
TH RBIT 51C102DC HD



TH RBIT 51C089DCR
TH RBIT 51C089DCR HD
TH RBIT 51C102DCR
TH RBIT 51C102DCR HD



TH RBIT 51C102FF
TH RBIT 51C102FF HD



TH RBIT 51C102FFR
TH RBIT 51C102FFR HD

C51
2" thread

Rbit™ CONSISTENT HIGH QUALITY

Robit

C51 (2") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.]	[mm]	 [No.]	[mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 51C115FF	115	4½"		35°	7 x 14		9 x 14		4	-	01-251-115-2110	01-251-115-2111	5.8	2
TH RBIT 51C115FF HD	115	4½"		35°	6 x 14		9 x 16		4	-	2001704	2001705	5.9	2
TH RBIT 51C115FFR	115	4½"		35°	7 x 14		9 x 14		4	-	01-251-115-2346	01-251-115-2347	8.1	2
TH RBIT 51C115FFR HD	115	4½"		35°	6 x 14		9 x 16		4	-	2001709	2001710	8.2	2
TH RBIT 51C115DC	115	4½"		35°	2 x 12		8 x 14		5	-	2000345	2000346	5.6	2
TH RBIT 51C115DC HD	115	4½"		35°	4 x 14		8 x 16		5	-	2001752	2001753	5.7	2
TH RBIT 51C115DCR	115	4½"		35°	2 x 12		8 x 14		5	-	2000356	2000357	8.0	2
TH RBIT 51C115DCR HD	115	4½"		35°	4 x 14		8 x 16		5	-	2001757	2001758	8.1	2
TH RBIT 51C127DCR HD	127	5		35°	2 x 14		10 x 16		6	-	2000707	2000708	10.0	2
					5 x 16									



TH RBIT 51C115FF



TH RBIT 51C115FF HD



TH RBIT 51C115FFR



TH RBIT 51C115FFR HD



TH RBIT 51C115DC
TH RBIT 51C115DC HD



TH RBIT 51C115DCR
TH RBIT 51C115DCR HD



TH RBIT 51C127DCR HD

RG51 (2") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.] [mm]	 [No.] [mm]	 [No.]	 [No.]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 51RG089FFR	89	3½"		35°	6 x 11	9 x 12	4	-			2001252	2001253	4.5	2
TH RBIT 51RG089FFR HD	89	3½"		35°	6 x 12	9 x 13	4	-			2001772	2001775	4.5	2
TH RBIT 51RG089DCR	89	3½"		35°	5 x 12	8 x 12	5	-			2001249	2001250	4.5	2
TH RBIT 51RG089DCR HD	89	3½"		35°	5 x 12	8 x 13	5	-			2001796	2001797	4.5	2
TH RBIT 51RG102DCR	102	4		35°	5 x 13	8 x 13	5	-			2001222	2001223	6.2	2
TH RBIT 51RG102DCR HD	102	4		35°	5 x 14	8 x 14	5	-			2001224	2001225	6.2	2



TH RBIT 51RG089FFR
TH RBIT 51RG089FFR HD



TH RBIT 51RG089DCR
TH RBIT 51RG089DCR HD
TH RBIT 51RG102DCR
TH RBIT 51RG102DCR HD

RG60

2 1/3" thread

Rbit™

CONSISTENT HIGH QUALITY

Robit

RG60 (2 1/3") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight [kg]	Pcs/box
	[mm]	[in]			 [No.]	[mm]	 [No.]	[mm]	 [No.]	 [No.]	 [SuperDome]	 [Ballistic]		
TH RBIT 60RG102FF	102	4		35°	6 x 13		9 x 13		4	-	01-460-102-2562	01-460-102-3395	6.9	2
TH RBIT 60RG102FF HD	102	4		35°	6 x 14		9 x 14		4	-	01-460-102-3158	01-460-102-3159	7.0	2
TH RBIT 60RG102FFR	102	4		35°	6 x 13		9 x 13		4	-	01-460-102-2204	01-460-102-2205	7.6	2
TH RBIT 60RG102FFR HD	102	4		35°	6 x 14		9 x 14		4	-	2001537	2001538	7.7	2
TH RBIT 60RG102DC	102	4		35°	5 x 13		8 x 13		5	-	2001636	2001637	6.9	2
TH RBIT 60RG102DC HD	102	4		35°	5 x 14		8 x 14		5	-	2000408	2000409	7.0	2
TH RBIT 60RG102DCR	102	4		35°	5 x 13		8 x 13		5	-	2001641	2001642	7.4	2
TH RBIT 60RG102DCR HD	102	4		35°	5 x 14		8 x 14		5	-	2000110	2000111	7.5	2
TH RBIT 60RG115FF	115	4 1/2"		35°	7 x 14		9 x 14		4	-	01-460-115-2564	01-460-115-3397	8.5	2
TH RBIT 60RG115FF HD	115	4 1/2"		35°	6 x 14		9 x 16		4	-	01-460-115-6421	01-460-115-6422	8.5	2
TH RBIT 60RG127FF	127	5		35°	8 x 14		9 x 14		4	-	01-460-127-2568	01-460-127-3035	8.8	2
TH RBIT 60RG127FF HD	127	5		35°	8 x 14		9 x 16		4	-	01-460-127-5461	01-460-127-5462	8.9	2



TH RBIT 60RG102FF
TH RBIT 60RG102FF HD



TH RBIT 60RG102FFR
TH RBIT 60RG102FFR HD



TH RBIT 60RG102DC
TH RBIT 60RG102DC HD



TH RBIT 60RG102DCR
TH RBIT 60RG102DCR HD



TH RBIT 60RG115FF



TH RBIT 60RG115FF HD



TH RBIT 60RG127FF
TH RBIT 60RG127FF HD

RG60 (2 1/3") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight	Pcs/box
	[mm]	[in]												
	[mm]	[in]		⌘	[No.]	[mm]	[No.]	[mm]	[No.]	[No.]	[SuperDome]	[Ballistic]	[kg]	
TH RBIT 60RG127FFR	127	5		35°	8 x 14	9 x 14			4	-	01-460-127-2570	01-460-127-3037	11.0	2
TTH RBIT 60RG127FFR HD	127	5		35°	8 x 14	9 x 16			4	-	01-460-127-5878	01-460-127-5879	11.9	2
TH RBIT 60RG127DC	127	5		35°	7 x 14	10 x 14			6	-	2001646	2001647	8.7	2
TH RBIT 60RG127DC HD	127	5		35°	2 x 14 5 x 16	10 x 16			6	-	2001105	2001106	8.8	2
TH RBIT 60RG127DCR	127	5		35°	7 x 14	10 x 14			6	-	2001651	2001652	11.0	2
TH RBIT 60RG127DCR HD	127	5		35°	2 x 14 5 x 16	10 x 16			6	-	2000709	2000710	11.0	2
TH RBIT 60RG140FF HD	140	5½"		35°	10 x 14	12 x 16			4	-	2001550	2001551	12.2	2
TH RBIT 60RG140FFR HD	140	5½"		35°	10 x 14	12 x 16			4	-	01-460-140-1409	01-460-140-1410	15.2	2
TH RBIT 60RG140DC HD	140	5½"		35°	3 x 14 5 x 16	10 x 16			6	-	2001656	2001657	11.7	2
TH RBIT 60RG140DCR HD	140	5½"		35°	3 x 14 5 x 16	10 x 16			6	-	2000536	2000537	14.7	2



TH RBIT 60RG127FFR
TH RBIT 60RG127FFR HD



TH RBIT 60RG127DC
TH RBIT 60RG127DC HD



TH RBIT 60RG127DCR
TH RBIT 60RG127DCR HD



TH RBIT 60RG140FF HD



TH RBIT 60RG140FFR HD



TH RBIT 60RG140DC HD



TH RBIT 60RG140DCR HD

CT68

2 11/16 thread

Rbit™

CONSISTENT HIGH QUALITY

Robit

CT68 (2 11/16") - threads

Product name	Diameter		Body	Gauge	Buttons				Flushing		Product number (use in order)		Weight	Pcs/box
	[mm]	[in]												
											[No.]	[mm]		
TH RBIT 68CT102FF	102	4		35°	6 x 13	9 x 13	4	-	01-368-102-2133	01-368-102-2134	5.4	2		
TH RBIT 68CT102FF HD	102	4		35°	6 x 14	9 x 14	4	-	01-368-102-2154	01-368-102-2155	5.5	2		
TH RBIT 68CT102FFR	102	4		35°	6 x 13	9 x 13	4	-	01-368-102-2656	01-368-102-2657	5.8	2		
TH RBIT 68CT102FFR HD	102	4		35°	6 x 14	9 x 14	4	-	01-368-102-4844	01-368-102-4845	5.9	2		
TH RBIT 68CT102DC	102	4		35°	5 x 13	8 x 13	5	-	2001626	2001627	4.0	2		
TH RBIT 68CT102DC HD	102	4		35°	5 x 14	8 x 14	5	-	2000719	2000720	4.1	2		
TH RBIT 68CT102DCR	102	4		35°	5 x 13	8 x 13	5	-	2001631	2001632	5.7	2		
TH RBIT 68CT102DCR HD	102	4		35°	5 x 14	8 x 14	5	-	2000496	2000497	5.8	2		



TH RBIT 68CT102FF
TH RBIT 68CT102FF HD



TH RBIT 68CT102FFR
TH RBIT 68CT102FFR HD



TH RBIT 68CT102DC
TH RBIT 68CT102DC HD



TH RBIT 68CT102DCR
TH RBIT 68CT102DCR HD

ROBIT PLC

Vikkiniityntie 9

FI-33880 Lempäälä (Tampere Region)

FINLAND

Tel: +358 3 3140 3400

E-mail: sales@robitgroup.com

<http://www.robitgroup.com>

Your distributor:



Robit reserves all rights to any changes in the products and the specifications without prior notice.
Printed: November 2020
Copyright © 2020 by Robit Plc

Robit

– The Widest Offering in High Quality Drilling Consumables

